

UNIQUE
WOOD PRODUCTS

STOCKED WILL-CALL CATALOG

TRADE REFERENCE · VOL 02 · 2026

Quick Order

Every stocked profile shown to shape, with its will-call order code. Milled in-house on Tanner Road, ready for pickup.

MOULDING · STAIR PARTS · MILLWORK

Profile first. Order code second. Stocked moulding, stair parts and millwork, pulled faster at will-call.

UWP
EST. 1988

NW HOUSTON / TANNER RD

9915 Tanner Road
Houston, TX 77041
(713) 462-5045

WILL-CALL HOURS

Mon – Fri 7:30 – 4:30
Sat 8:00 – 12:00
Sun closed

ORDERS & QUOTES

info@uniquewoodproducts.com
uniquewoodproducts.com

WHY PARTNER WITH UWP

Crafted in-house. Stocked for you.

Unique Wood Products is a Houston architectural-millwork supplier serving flooring dealers, stair builders and trade resellers. We mill moulding, trim and stair on our own floor on Tanner Road, so the stocked profiles ship from will-call and anything outside them runs custom to the same tolerances.

01

Crafted In-House

Profiles milled to spec on Tanner Road, not drop-shipped.

02

Service-Driven

Will-call counter, local delivery, and stocked species that ship in days.

03

Trade-Proven

Reseller and builder pricing. The shelf exists so the dealer can sell the project.

HOW TO READ A WILL-CALL CODE

B218 + **PR** - **16**

- **B218** — Profile. Verify the shape against the drawing first.
- **PR** — Species or finish suffix. PR is Primed FJ Pine.
- **16** — Length in feet, or size from the table.

B218PR-16

Write the whole code on the ticket. Stair parts use the numeric code shown.

STOCKED SPECIES & AVAILABILITY

Stocked at Tanner Rd means we carry it regularly: usually on hand, not guaranteed. Call to confirm, (713) 462-5045. Red Oak and White Oak are quick-turn species. Hickory and Maple stock on select profiles. Baseboard, casing and crown run in Primed FJ Pine. Other species and finishes are special order, quoted with a firm date.

WHITE OAK 80/20

Every White Oak order ships **80% long lengths + 20% shorts (6–8 ft)** at standard pricing. Declining shorts adds a 20% premium.

INSIDE THIS CATALOG

03	S4S Boards · Poplar / Pine / Hardwood
04	B-Series Scant Boards
05	Base Shoe / Quarter Round / Cove
06–07	Flooring Transitions / Stairnosing
08–12	Baseboard by Height
13	Crown Moulding
14–15	Door Casing / Mantle / Wall Trim
16	Stair Treads & Risers
17–18	Wood Stair Parts
19	Custom Stair Treads
20	Curved Stairs & Landings
21–22	Iron Balusters
23	Also Stocked / Plywood / Surface Prep
24–25	How to Order · Pull Sheet

SECTION 01 / BOARDS & LUMBER

S4S Boards

SIZES
1×2 – 1×12

ORDER CODE = SIZE + SPECIES	1× boards surfaced four sides. **Poplar and hardwoods 3/4 in** sold by the linear foot. **Primed FJ Pine 11/16 in** sold by the piece, 16 ft (1×4 runs 17 ft).



Poplar · 3/4 in natural hardwood



Primed FJ Pine · 11/16 in factory-primed

Paint-Grade S4S · Poplar 3/4 in by LF · Primed FJ Pine 11/16 in by piece

NOMINAL	WIDTH	POPLAR · LF	PRIMED FJ PINE · PC
1×12	11-1/4 in	**112POP**	**112PR-16**
1×8	7-1/4 in	**18POP**	**18PR-16**
1×6	5-1/2 in	**16POP**	**16PR-16**
1×4	3-1/2 in	**14POP**	**14PR-17**
1×2	1-1/2 in	**12POP**	**12PR-16**

Stain-Grade Hardwood

3/4 IN · SURFACED 4 SIDES · SOLD BY LF

NOMINAL	WIDTH	RED OAK	WHITE OAK	MAPLE
1×8	7-1/4 in	**18RO**	**18WO**	**18MP**

STOCK CHECK	Only the 1×8 is stocked in hardwood; other widths and species are special order. **Confirm current availability at the counter** before quoting a lead time.

Widths are actual, in inches. LF = linear foot · pc = piece.

SECTION 01 / BOARDS & LUMBER · CONTINUED

B-Series Scant Boards

THICKNESS
9/16 in

THIN · SQUARE-EDGE · PRIMED

9/16 in primed FJ-pine boards, the economical square-edge blank. Sold by the piece, 16 ft (B14 runs 17 ft). No species suffix: the code is the board.





As baseboard · square-edge, primed and painted



As casing and jamb · clean, flat trim line

THIN & ECONOMICAL

At 9/16 in it is lighter and lower-cost than a full 3/4 in S4S. The value pick for high-volume trim.

SQUARE-EDGE BLANK

Flat, clean square edges. The backer for baseboard, casing and jamb build-ups.

PRIMED & READY

Factory-primed FJ pine, paint-ready off the shelf. Sold by the piece.

Stocked B-Series · 9/16 in thick · Primed FJ Pine · by piece

ORDER CODE	NOMINAL	ACTUAL (S4S)	LENGTH
B13	2-1/2 in	9/16 in × 2-1/2 in	16 ft
B14	3-1/2 in	9/16 in × 3-1/2 in	17 ft
B16	5-1/2 in	9/16 in × 5-1/2 in	16 ft
B18	7-1/4 in	9/16 in × 7-1/4 in	16 ft

WHY SCANT The B-series is a **thinner, better-priced** paint-grade board for high-volume baseboard and casing work. Same square-edge board, less cost per foot.

B13 and B14 also appear on the baseboard pages, where they run as square-edge base.

SECTION 01 / MOULDING & TRIM

Base Shoe · Quarter Round · Cove


SOLD
LF · piece

ORDER CODE = PROFILE + SPECIES / LENGTH

Solid lumber by LF. Primed FJ Pine by the piece. Flexible for radius work. **Confirm species lead time before promising.**

UW126 Base Shoe


1/2 × 3/4 in



SPECIES / LENGTH	ORDER CODE
Primed 12 ft	126PR-12
Red Oak	126RO
White Oak	126WO
Hickory	126HK
Maple	126MP
Pine	126PIN
Poplar	126PO
Flexible 12 ft	126FLEX

UW106 Quarter Round


11/16 × 11/16 in



SPECIES / LENGTH	ORDER CODE
Primed 12 ft	106PR-12
Primed 16 ft	106PR-16
Red Oak	106RO
White Oak	106WO
Hickory	106HK
Maple	106MP
Pine	106PINE
Flexible 12 ft	106FLEX

UW128 Square Shoe


1/2 × 3/4 in



SPECIES / LENGTH	ORDER CODE
Primed 12 ft	128PR-12
Red Oak	128RO
White Oak	128WO
Hickory	128HK
Maple	128MP
Poplar	128PO
Flexible	128FLEX

UW93 Cove Moulding


3/4 × 3/4 in



SPECIES / LENGTH	ORDER CODE
Red Oak	93RO
White Oak	93WO
Hickory	93HK
Maple	93MP
Poplar	93PO

UW142 Modern Shoe

1/4 × 3/4 in



SPECIES / LENGTH	ORDER CODE
Primed 8 ft	142PR-8
Red Oak	142RO
White Oak	142WO

SPECIES LEGEND

PR	RO	WO	HK
Primed FJ Pine	Red Oak	White Oak	Hickory

MP	PIN	PO	FLEX
Maple	Pine	Poplar	Flexible

Swatches are printed approximations. Match species to the counter sample.

SECTION 01 / MOULDING & TRIM · CONTINUED


Flooring Transitions & Stairnosing

SOLID HARDWOOD
RO · WO · HK · MP

ORDER CODE = PROFILE + SPECIES SUFFIX	Example: **UW9891RO** is a mini baby threshold in Red Oak. Curved and custom transitions are made to order, matched to any in-house tread or floor profile.

Mini Transitions


1-1/4 IN · RO / WO / HK / MP



UW9891

Mini Baby Threshold · 1-1/4 × 5/8 in


STOCKED AT TANNER RD	
Red Oak	**UW9891RO**
White Oak	**UW9891WO**
Hickory	**UW9891HK**
Maple	**UW9891MP**



UW9895

Mini T-Moulding · 1-1/4 × 9/16 in

STOCKED AT TANNER RD	
Red Oak	**UW9895RO**
White Oak	**UW9895WO**
Hickory	**UW9895HK**
Maple	**UW9895MP**
Flex	**UW9895FLEX**



UW9899

Mini Saddle Threshold · 1-1/4 × 1/4 in

STOCKED AT TANNER RD	
Red Oak	**UW9899RO**
White Oak	**UW9899WO**
Hickory	**UW9899HK**
Maple	**UW9899MP**



UW9893

Mini Overlap Reducer · 1-1/4 × 7/16 in

STOCKED AT TANNER RD	
Red Oak	**UW9893RO**
White Oak	**UW9893WO**
Hickory	**UW9893HK**
Maple	**UW9893MP**

SECTION 01 / MOULDING & TRIM · CONTINUED


Flooring Transitions & Stairnosing

SOLID HARDWOOD
RO · WO · HK · MP

ORDER CODE = PROFILE + SPECIES SUFFIX	Example: **UW9891RO** is a mini baby threshold in Red Oak. Curved and custom transitions are made to order, matched to any in-house tread or floor profile.

Standard Transitions

1-3/4 IN · RO / WO




UW9892

Baby Threshold · 1-3/4 × 3/4 in

STOCKED AT TANNER RD

Red Oak	**UW9892RO**
White Oak	**UW9892WO**




UW9896

T-Moulding · 1-3/4 × 11/16 in

STOCKED AT TANNER RD

Red Oak	**UW9896RO**
White Oak	**UW9896WO**




UW9898

Saddle Threshold · 1-3/4 × 5/16 in

STOCKED AT TANNER RD

Red Oak	**UW9898RO**
White Oak	**UW9898WO**



UW9897

Overlap Reducer · 1-3/4 × 5/8 in

STOCKED AT TANNER RD

Red Oak	**UW9897RO**
White Oak	**UW9897WO**

Stairnosing

2-3/4 IN · RO / WO / HK / MP



8090 Stairnosing

3/4 in nose · for 3/8 and 1/2 in floors

FLOOR HEIGHT	ORDER CODES
3/8 in floors	**8090RO38 · 8090WO38 · 8090HK38 · 8090MP38**
1/2 in floors	**8090RO12 · 8090WO12 · 8090HK12 · 8090MP12**

SECTION 02 / BASEBOARD

Baseboard · Primed FJ Pine

HEIGHT GROUP
2-1/2 – 3-1/4 in

ORDER CODE = PROFILE + PR-16

Sold by the piece in 16 ft lengths (B14 runs 17 ft). Flex is stocked in 12 ft sticks for curved walls. Square-edge B13, B14, B16 and B18 carry no suffix.




B13 SQUARE EDGE

Square-Edge Scant · 2-1/2 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B13**



ACOL7601 COLONIAL

Colonial Baseboard · 3-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**ACOL7601PR-16**
Flex 12′	**ACOL7601FLEX**



B314 STANDARD

Baseboard · 3-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B314PR-16**
Flex 12′	**B314FLEX**



BCOL3 COLONIAL

Colonial Baseboard · 3-1/4 × 1/2 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**BCOL3PR-16**
Flex 12′	**BCOL3FLEX**



UW623 MODERN

Modern Baseboard · 3-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**623PR-16**
Flex 12′	**UW623FLEX**



B322 STANDARD

Baseboard · 3-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B322PR-16**
Flex 12′	**B322FLEX**

SECTION 02 / BASEBOARD · CONTINUED

Baseboard · Primed FJ Pine

HEIGHT GROUP
3-1/2 – 4-1/2 in

ORDER CODE = PROFILE + PR-16

Sold by the piece in 16 ft lengths. Flex is stocked in 12 ft sticks for curved walls: profile + FLEX, e.g. B314FLEX.




B14 SQUARE EDGE

Square-Edge Scant · 3-1/2 × 9/16 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**B14**
Flex 12′	**B14FLEX**



1X4 SQUARE EDGE

1×4 S4S Board · 3-1/2 × 11/16 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**14PR-17**
Flex 12′	**1X4FLEX**



4REV REVERSIBLE

Reversible Baseboard · 4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**4REVPR-16**
Flex 12′	**4REVFLEX**



UW410 STANDARD

Baseboard · 4-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**410PR-16**



UW620 MODERN

Modern Baseboard · 4-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**620PR-16**
Flex 12′	**UW620FLEX**



B395 STANDARD

Baseboard · 4-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B395PR-16**



LB11 BLOCK

Block Baseboard · 4-1/2 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**LB11PR-16**
Flex 12′	**LB11FLEX**

SECTION 02 / BASEBOARD · CONTINUED

Baseboard · Primed FJ Pine

HEIGHT GROUP
4-1/2 – 5-1/4 in

ORDER CODE = PROFILE + PR-16

Sold by the piece in 16 ft lengths. Flex is stocked in 12 ft sticks for curved walls: profile + FLEX, e.g. B314FLEX.



B522 STANDARD

Baseboard · 4-1/2 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B522PR-16**
Flex 12′	**B522FLEX**



UW512 STANDARD

Baseboard · 5 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**512PR-16**
Flex 12′	**UW512FLEX**



BCOL5 COLONIAL

Colonial Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**BCOL5PR-16**
Flex 12′	**BCOL5FLEX**



ACOL7603 COLONIAL

Colonial Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**ACOL7603PR-16**
Flex 12′	**ACOL7603FLEX**



LB11-5 BLOCK

Block Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**LB115-16**
Flex 12′	**LB11-5FLEX**



UW610 MODERN

Modern Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**610PR-16**
Flex 12′	**UW610FLEX**

SECTION 02 / BASEBOARD · CONTINUED

Baseboard · Primed FJ Pine

HEIGHT GROUP
5-1/4 – 7-1/4 in

ORDER CODE = PROFILE + PR-16

Sold by the piece in 16 ft lengths. Flex is stocked in 12 ft sticks for curved walls: profile + FLEX, e.g. B314FLEX.



UW618 MODERN

Modern Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**618PR-16**
Flex 12′	**UW618FLEX**



B514 STANDARD

Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B514PR-16**
Flex 12′	**B514FLEX**



B218 STANDARD

Baseboard · 5-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B218PR-16**
Flex 12′	**B218FLEX**



B16 SQUARE EDGE

Square-Edge Scant · 5-1/2 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B16**
Flex 12′	**B16FLEX**



1X6 SQUARE EDGE

1×6 S4S Board · 5-1/2 × 11/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**16PR-16**
Flex 12′	**1X6FLEX**



B695 STANDARD

Baseboard · 6-1/2 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**B695PR-16**
Flex 12′	**B695FLEX**



B18 SQUARE EDGE

Square-Edge Scant · 7-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD


Primed FJ Pine 16′	**B18**

SECTION 02 / BASEBOARD · CONTINUED

Baseboard · Primed FJ Pine

HEIGHT GROUP
8-1/4 in

ORDER CODE = PROFILE + PR-16	Sold by the piece in 16 ft lengths. Flex is stocked in 12 ft sticks for curved walls: profile + FLEX, e.g. B314FLEX.



UW810 STANDARD

Baseboard · 8-1/4 × 9/16 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**810PR-16**



IN USE · UW623 SHOWN

The finished floor line.

Baseboard caps the wall-to-floor joint for a clean, protected edge. Most profiles also stock in Flex for curved walls.

Every stocked height on pages 08 – 12. Full profile library at uniquewoodproducts.com.


TWO-TIER PROGRAM Profiles on pages 08 – 12 are stocked at will-call. The full 21-profile baseboard program, including special-order heights and species, is quoted with a firm date at the counter.

SECTION 03 / CROWN

Crown Moulding

STOCKED HEIGHTS
2-3/4 – 5-1/4 in

ORDER CODE = PROFILE + PR-16	Primed FJ Pine, sold in 16 ft pieces. Five stocked heights. Inside and outside corners coped and cut to order at the counter.



UW45 CROWN

Crown · 5-1/4 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**45PR-16**



UW48 CROWN

Crown · 4-1/4 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**48PR-16**



UW49 CROWN

Crown · 3-5/8 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**49PR-16**



UW51 CROWN

Crown · 3-1/4 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**51PR-16**



UW52 CROWN

Crown · 2-3/4 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**52PR-16**

RETURNS & CORNERS

Inside and outside corners coped and cut to order at the counter. Special species quoted with a firm date. Outside corner and window stool are on page 15.

SECTION 03 / CASING & WALL TRIM

Door Casing · Mantle · Panel


PRIMED FJ PINE
14 ft · 17 ft

ORDER CODE = PROFILE + PR-LENGTH

Casing in 14 ft and 17 ft as coded. Wall trim carries its own will-call number. Write the full code on the ticket.

Door Casing

PRIMED FJ PINE · 14 FT AND 17 FT AS CODED




ACOL7303 COLONIAL

Casing · 5/8 × 2-1/4 in · 14 / 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 14′	**ACOL7303PR-14**
Primed FJ Pine 17′	**ACOL7303PR-17**




ACOL7304 COLONIAL

Casing · 5/8 × 2-1/2 in · 14 / 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 14′	**ACOL7304PR-14**
Primed FJ Pine 17′	**ACOL7304PR-17**




ACOL7305 COLONIAL

Colonial Casing · 5/8 × 3-1/2 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**ACOL7305PR-17**



LC11 CASING

Casing · 3-1/2 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**LC11PR-17**



1X4 SQUARE

Casing · 11/16 × 3-1/2 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**14PR-17**
Flex 12′	**1X4FLEX**



UW347 CASING

Door Casing · 5/8 × 3-1/2 in · 17 ft

STOCKED AT TANNER RD

Primed FJ Pine 17′	**C347PR-17**

SECTION 03 / CASING & WALL TRIM · CONTINUED

Door Casing · Mantle · Panel

PRIMED FJ PINE
14 ft · 17 ft

ORDER CODE = PROFILE + PR-LENGTH	Casing in 14 ft and 17 ft as coded. Wall trim carries its own will-call number. Write the full code on the ticket.

Mantle · Panel · Wall Trim

NUMERIC WILL-CALL CODES WHERE SHOWN




FMOULD MANTLE

Mantle Mould · 1-1/2 × 5/8 in

STOCKED AT TANNER RD

Primed FJ Pine 16′	**FMOULD**



PM5 PANEL

Panel Mould · 11/16 × 1-1/8 in

STOCKED AT TANNER RD

FJ Pine	**PM5FJ**




UW10216 STOOL

Window Stool · 6-1/4 in · 16 ft

STOCKED AT TANNER RD

Primed FJ Pine 16′	**ST612PR-16**



UW204 CORNER

Outside Corner · 1-1/4 in · 12 ft

STOCKED AT TANNER RD

Primed 12′	**OCPR-12**

SECTION 04 / STAIR

Stair Treads & Risers

STOCKED SPECIES

Red Oak · White Oak

ORDER CODE = PROFILE + SPECIES + SIZE	Mitered-return (MR) treads finish one return end. Stocked treads are not cut to customer specification. **Confirm lengths with the branch before quoting cuts.**

Tread matrices

8070 Stair Tread · 1 in solid · bullnose

SIZE	RED OAK	WHITE OAK
42 in	8070RO42	8070WO42
48 in	8070RO48	8070WO48
48 in MR	8070RO48MR	8070WO48MR
60 in	8070RO60	8070WO60
60 in MR	8070RO60MR	8070WO60MR

8072 Square-Edge Tread · 1 in solid

SIZE	RED OAK	WHITE OAK
42 in	8072RO42	8072WO42
48 in	8072RO48	8072WO48

8071 Retro-Fit Tread · 5/8 in over existing

SIZE	RED OAK	WHITE OAK
42 in	8071RO42	—
48 in	8071RO48	8071WO48
60 in	8071RO60	8071WO60

SN314 Landing Tread · 3-1/4 in wide · sold by LF

THICK	RED OAK	WHITE OAK
3/8 in	SN314RO38	SN314WO38
1/2 in	SN314RO12	SN314WO12
3/4 in	SN314RO34	SN314WO34

8075 Riser · primed white

DESCRIPTION	ORDER CODE
Primed White · 1/2 × 90 in	8075PR-90

Visual verification



8070 Stair Tread · Red Oak · 1 in solid · milled in-house

PROFILE 8070

Edge profile

SIDE VIEW · NOSE AT RIGHT



8070 bullnose · 1 in



8072 square · 1 in



8071 retro bullnose · 5/8 in



8073 square retro-fit · 5/8 in

CUSTOM	Sizes, species or returns not on the shelf are milled to order. See pages 19 – 20.

SECTION 04 / STAIR · CONTINUED

Wood Stair Parts

STOCKED IN
Red Oak

NUMERIC WILL-CALL CODE	Newels, handrails and rosettes stock in Red Oak. White Oak is special order. Write the numeric code on the ticket.



4091 BOX NEWEL

Box Newel · 55 × 6-1/4 in

STOCKED AT TANNER RD

Red Oak	**1034089**



4000 NEWEL

Newel · 56 × 3-1/4 in

STOCKED AT TANNER RD

Red Oak	**1032822**



4002 NEWEL

Chamfered Newel · 56 × 3-1/2 in

STOCKED AT TANNER RD

Red Oak	**4002RO54**

SECTION 04 / STAIR · CONTINUED

Wood Stair Parts

STOCKED IN
Red Oak

NUMERIC WILL-CALL CODE	Newels, handrails and rosettes stock in Red Oak. White Oak is special order. Write the numeric code on the ticket.



6010 HANDRAIL

Handrail · 2-1/4 in · 16 ft

STOCKED AT TANNER RD

Red Oak 16′	**1032956**



6040 HANDRAIL

Handrail · 1-3/4 in · 16 ft

STOCKED AT TANNER RD

Red Oak 16′	**1034231**



6210 HANDRAIL

Handrail · 2-5/8 in · 16 ft

STOCKED AT TANNER RD

Red Oak 16′	**1037130**



7036 ROSETTE

Rectangle Rosette · 4-5/16 × 6 in

STOCKED AT TANNER RD

Red Oak	**1033078**



7037 ROSETTE

Oval Rosette · 4 × 5-1/2 in

STOCKED AT TANNER RD


Red Oak	**1033079**

SECTION 04 / CUSTOM & CURVED

Custom Stair Treads

LEAD TIME

Quoted with a date




THE MILL ADVANTAGE

Milled to your stair.

Stock sizes ship from will-call. Everything beyond, in width, length, species or return, is built to order to the same tolerances.

- **Any size and species.** Solid Red and White Oak, Hickory, Maple and Walnut, milled to your width, thickness and length up to 16 ft.
- **Mitered and double-mitered returns.** Finished ends on one or both sides for open-stringer stairs.
- **Retro-fit over existing.** 5/8 in treads that cap a current stair without a tear-out.
- **Floating and thick treads.** Heavy solid stock for cantilevered floating stairs. Extra-thick face-grain treads milled to spec.
- **Oversize and XXL landings.** Treads and solid landings beyond the stock 60 in, to 16 ft.
- **Matched to your floor.** Grain and species milled to match the room, board by board.


STOCK VS. CUSTOM Stock **8070 · 8071 · 8072** tread sizes are on page 16. If the size, species or return is not on the shelf, we mill it, quoted with a firm date.



Thick treads · White Oak, milled to spec



Bullnose treads · milled and stacked to ship



Any length · to 16 ft, in-house



Made to spec · quoted with a date

SECTION 04 / CUSTOM & CURVED · CONTINUED

Curved Stairs & Landings

TEMPLATED & MILLED
In-house



CURVED & RADIUS WORK


Curved is the craft.

Curved treads, winders, volutes and solid landings, templated to your site and milled on our own floor. The work most suppliers outsource, we run in-house.

- **Curved and radius treads.** Bent and shaped to your stair's exact radius.
- **Curved landings and platforms.** Solid, seamless hardwood at any radius.
- **Templated to your site.** We template on-site so the fit is exact, not close.
- **Pie and winder treads.** For turning runs, spirals and switchbacks.
- **Volutes and starting steps.** Turned starts, bullnose scrolls and box-newel starts.
- **Any stocked species.** Red and White Oak lead. Others milled to order.



Curved landings · templated and milled



Curved handrail · shaped in-house



Curved treads · matched set

How we build curved work

TEMPLATE · CAD · MILL · DELIVER

01 · TEMPLATE
Templated to site
Exact radius and rise, captured on the job.

02 · CAD
Drawn to spec
The template becomes a cut-ready shop drawing.

03 · MILL
Milled in-house
Solid stock shaped to the curve on our machines.

04 · DELIVER
Quoted with a date
Finished, labeled, ready to install.

Starting steps, curved and open treads, custom handrail profiles and square-return ends: any available species, quoted with a firm date.

SECTION 04 / STAIR · CONTINUED

Iron Balusters

STOCKED

Black · 1/2 × 44 in


NUMERIC WILL-CALL CODE	Stocked in black: Satin Black, or Low Sheen Black where listed. Oil-Rubbed Bronze, Oil-Rubbed Copper and Silver Vein are special order. **Pattern + finish to order.**



Plain Square

STOCKED AT TANNER RD


Low Sheen Black	**1036805**



Single Twist

STOCKED AT TANNER RD

Satin Black	**1038333**



Double Twist

STOCKED AT TANNER RD


Satin Black	**1038322**



Modern Rectangle

STOCKED AT TANNER RD


Low Sheen Black	**1035264**



Double Twist · Single Basket

STOCKED AT TANNER RD

Satin Black	**1038311**



Single Twist · Double Basket

STOCKED AT TANNER RD

Satin Black	**1038301**

Full bar shown at left of each card, pattern detail at right. Finish shown: black.

SECTION 04 / STAIR · CONTINUED

Iron Balusters

STOCKED

Black · 1/2 × 44 in

NUMERIC WILL-CALL CODE	Stocked in black: Satin Black, or Low Sheen Black where listed. Oil-Rubbed Bronze, Oil-Rubbed Copper and Silver Vein are special order. **Pattern + finish to order.**



Single Knuckle

STOCKED AT TANNER RD

Satin Black	**1035543**



Double Knuckle

STOCKED AT TANNER RD

Satin Black	**1035549**

IRON ACCESSORIES Flat Shoe, Low Sheen Black **4110085** · Angled Shoe, Low Sheen Black **4110107** · Newel Post Fastener **4300134** · Epoxy **1034793** · Wall Rail Bracket, black: standard **1032784** / heavy duty **1032787**

Full bar shown at left of each card, pattern detail at right. Finish shown: black.

SECTION 05 / STOCKED GOODS

Also Stocked · Plywood · Prep

SPECIES SUFFIX

RO · WO · HK · MP · PO · PR

BACKING EVERY ORDER | Flat stock, panel and jobsite supply that ship from will-call with the trim. Codes in teal are will-call codes. Confirm quantity on hand at the counter.

S4S BOARDS

Hardwood random LF: **1×2 – 1×12** Poplar · **1×8** RO / WO / MP.

Primed Pine / MDF set length: **1×2 – 1×12**.

B-series scant: **B13 · B14 · B16 · B18**.

SURFACE PREP · ADHESIVE

Planipatch **PLANI** · Quickpatch **QUICK**.

Novoplan **NOVO** · VersaPatch **VERSA**.

Fortane LD **FORT-LD** · Fortane MBA **FORT-MBA**.

ACCESSORIES

Shelf Bracket & Support **1036069**.

Wood Closet Rod **UW233 · 1041355**.

Closet Rod Sockets **SOCK**.

BIRCH PLYWOOD

3/4 in 4×8 **9001**.

1/2 in 4×8 **9002**.

1/4 in 4×8 **9003**.

MANTLE · PANEL · CORNER · STOOL

Mantle Mould **FMOULD** · Panel **PM5FJ**.

Outside Corner **OCPR-12** · Window Stool **ST612PR-16**.

DOOR CASING

ACOL7303 · ACOL7304 · ACOL7305 · LC11 · UW347.

1×4 Square.



ONE COUNTER · ONE TICKET

Trim, stair and prep in one pull.

Treads, risers, handrail, baseboard and the patch to set it all ship together from will-call. Bring the whole job list and pull it in one stop.

SECTION 06 / WILL-CALL

How to Order at Will-Call

COUNTER HOURS

Mon – Fri 7:30 – 4:30 · Sat 8 – 12

QUICK ORDER DISCIPLINE	Verify the profile shape before the code. Use code + species + length or size. Confirm lead time before promising special species.

AT THE COUNTER

1. Match the customer sample to the profile drawing. Shape first, then code.
2. Write the complete code: profile + species suffix + length or size (example **B218PR-16**, **8070WO48MR**).
3. Stair parts and balusters use the numeric will-call code printed under the part.
4. Confirm quantity on hand. Hardwood S4S and special species are stocked selectively.
5. Anything not on the shelf is quoted with a firm date, milled in-house to the same tolerances.

WHAT TO BRING

1. A cut of the existing profile, or a clear photo with a tape in frame.
2. Linear feet or piece count per profile, by room.
3. Tread count, widths and which ends need a mitered return.
4. Species and finish. White Oak is the stair default. Primed FJ Pine is the trim default.
5. For curved work: rise, run and radius, or book a site template.

SPECIES & FINISH SUFFIXES

PR	Primed finger-joint pine. Baseboard, casing, crown. Sold by the piece.
RO · WO	Red Oak · White Oak. Quick-turn will-call hardwoods. Sold by LF or size.
HK · MP	Hickory · Maple. Stocked on select profiles.
PO · PIN	Poplar · Pine. Paint-grade solid lumber.
FLEX	Flexible profile for radius walls. 12 ft.
MR	Mitered return on one tread end.

LENGTHS, SIZES & RULES

16 ft	Standard primed trim length. B14 and 1×4 casing run 17 ft. Casing also stocks 14 ft as coded.
12 ft	Base shoe, quarter round and flexible profiles.
Treads	Stocked 42, 48 and 60 in. Not cut to customer specification.
80 / 20	White Oak ships 80% long lengths + 20% shorts (6 – 8 ft). Declining shorts adds 20%.
Sizes	Dimensions in this book are actual sizes in inches, to the nearest 1/16.

ONE LOCATION **NW Houston / Tanner Rd** · 9915 Tanner Road, Houston, TX 77041 · (713) 462-5045 · info@uniquewoodproducts.com

Pull sheet on page 25. Copy it or tear it out.

SECTION 06 / WILL-CALL

Pull Sheet

ONE JOB
One ticket

CUSTOMER / JOB | PO / REFERENCE | DATE | PICKUP / DELIVER

#	QTY	ORDER CODE	PROFILE · SPECIES · LENGTH OR SIZE	PAGE	CHECKED
01					
02					
03					
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					

BEFORE YOU LEAVE Count pieces against the ticket. Check species and length. Shorts on White Oak are part of the 80/20 program.

CUSTOM LINES Note “quote” in the code column. We price it with a firm date and call before milling.



NW HOUSTON / TANNER RD

9915 Tanner Road
Houston, TX 77041
(713) 462-5045

WILL-CALL HOURS

Mon – Fri 7:30 – 4:30
Sat 8:00 – 12:00
Sun closed

CONTACT

info@uniquewoodproducts.com
uniquewoodproducts.com

Map data © OpenStreetMap contributors